
2/21


FIG.2





3/21

FIG.3





11/12

FIG.12

	PPI	PIL
NUMBER OF COLUMN	M:53	M:53
NUMBER OF ROW	N:10	N:10
MINIMUM INTER-SIGNAL-POINT DISTANCE (1,X)	4	5
MINIMUM INTER-SIGNAL-POINT DISTANCE (2,X)	58	58
MINIMUM INTER-SIGNAL-POINT DISTANCE (3,X)	111	111
MINIMUM INTER-SIGNAL-POINT DISTANCE (4,X)	164	164
MINIMUM INTER-SIGNAL-POINT DISTANCE (5,X)	216	217
MINIMUM INTER-SIGNAL-POINT DISTANCE (6,X)	165	162
MINIMUM INTER-SIGNAL-POINT DISTANCE (7,X)	109	111
MINIMUM INTER-SIGNAL-POINT DISTANCE (8,X)	56	56
MINIMUM INTER-SIGNAL-POINT DISTANCE (9,X)	4	3
VARIANCE	0.3857	0.3685
TOTAL PATTERN(/(530*529/2)	54066	51661

FIG.13

Z	1	2	3	4	5	6	•••	7
1	1	2	4	8	16	32	• • •	7
2	2	4	8	16	32	11	• • •	
3	4	8	16	32	11	22		(
4	8	16	32	11	22	44		
5	16	32	11	22	44	35		
6	32	11	22	44	35	17		\
7	11	22	44	35	17	34)
8	22	44	35	17	34	15	• • •	/
9	44	35	17	34	15	30	• • •	
10	35	17	34	15	30	7	•••	_/

AUG 0 2 2004 00

REPLACEMENT SHEET

13/21

FIG.16

	PPI	PIL
NUMBER OF COLUMN	M:53	M:53
NUMBER OF ROW	N:10	N:10
MINIMUM INTER-SIGNAL-POINT DISTANCE (1,X)	27	5
MINIMUM INTER-SIGNAL-POINT DISTANCE (2,X)	67	58
MINIMUM INTER-SIGNAL-POINT DISTANCE (3,X)	117	111
MINIMUM INTER-SIGNAL-POINT DISTANCE (4,X)	167	164
MINIMUM INTER-SIGNAL-POINT DISTANCE (5,X)	225	217
MINIMUM INTER-SIGNAL-POINT DISTANCE (6,X)	172	162
MINIMUM INTER-SIGNAL-POINT DISTANCE (7,X)	114	111
MINIMUM INTER-SIGNAL-POINT DISTANCE (8,X)	64	56
MINIMUM INTER-SIGNAL-POINT DISTANCE (9,X)	14	3
VARIANCE	0.2244	0.3685 ₃
TOTAL PATTERN(/(530*529/2)	31464	51661



14/21

FIG.17

	PPI (DISTANCE BETWEEN u1 AND 2u: FIVE ROWS)
Number of Column	M:53
Number of Row	N:10
MINIMUM INTER-SIGNAL-POINT DISTANCE (0,X)	265
MINIMUM INTER-SIGNAL-POINT DISTANCE (1,X)	163
MINIMUM INTER-SIGNAL-POINT DISTANCE (2,X)	111
MINIMUM INTER-SIGNAL-POINT DISTANCE (3,X)	57
MINIMUM INTER-SIGNAL-POINT DISTANCE (4,X)	5
MINIMUM INTER-SIGNAL-POINT DISTANCE (5,X)	1
MINIMUM INTER-SIGNAL-POINT DISTANCE (6,X)	3
MINIMUM INTER-SIGNAL-POINT DISTANCE (7,X)	58
MINIMUM INTER-SIGNAL-POINT DISTANCE (8,X)	109
MINIMUM INTER-SIGNAL-POINT DISTANCE (9,X)	163

AUG 0 2 2004 8

REPLACEMENT SHEET

15/21

FIG.18

	PPI (DISTANCE BETWEEN u1 AND 2u: NINE ROWS)
Number of Column	M:53
Number of Row	N:10
MINIMUM INTER-SIGNAL-POINT DISTANCE (0,X)	53
MINIMUM INTER-SIGNAL-POINT DISTANCE (1,X)	59
MINIMUM INTER-SIGNAL-POINT DISTANCE (2,X)	111
MINIMUM INTER-SIGNAL-POINT DISTANCE (3,X)	164
MINIMUM INTER-SIGNAL-POINT DISTANCE (4,X)	217
MINIMUM INTER-SIGNAL-POINT DISTANCE (5,X)	164
MINIMUM INTER-SIGNAL-POINT DISTANCE (6,X)	109
MINIMUM INTER-SIGNAL-POINT DISTANCE (7,X)	56
MINIMUM INTER-SIGNAL-POINT DISTANCE (8,X)	3
MINIMUM INTER-SIGNAL-POINT DISTANCE (9,X)	1